LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION OF LOSS OF STATEMENT

(Use several sheets if necessary)

ATTY.	DOCKET	NO.
226/2	86	

**SERIAL NO.** 08/959,013

APPLICANT:

Bert O'Malley et al.

FILING DATE: October 28, 1997 GROUP: /647 1<del>0</del>00

U.S. PATENT DOCUMENTS							
EXAMINER INITIAL	:	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB CLASS	FILING DATE
RCH	AA	4,736,866	4/12/88	Leder et al.	800	1	6/22/84
1	AB	5,298,422	3/29/94	Schwartz et al.	435	320.1	11/6/91
	AC	5,364,791	11/15/94	Vegeto et al.	435	320.1	5/14/92

	FOREIGN PATENT DOCUMENTS							
				·			TRANSLATION	
EXAMINER INITIAL		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB CLASS	YES	NO
RCH	AD	0 371 820 A2	06.06.90	EPO (Salk Institute)		·		Y
1	AE	92/22567	23.12.92	WO/PCT (USA:DHHS)				
	AF	93/18759	30.09.93	WO/PCT (Smith et al.)		$\setminus$		
	AG	93/23431	25.11.93	WO/PCT (Vegeto et al.)				
$\mathcal{V}$	AH	96/40911	19.12.96	WO/PCT (O'Malley et al.)				

OTHER D	OCUM	ENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
01	AI	Akerblom et al., "Negative Regulation by Glucocorticoids Through Interference with a	
SEN	/ "	cAMP Responsive Enhancer," Science 241:350-353 (1988),	
{	AJ	Allan et al., "Hormone and Antihormone Induce Distant Conformational Changes Which Are Central to Steroid Receptor Activation," J. Biol. Chem. 267:19513-19520 (1992).	
		Allan et al., "Ligand-dependent conformational changes in the progesterone receptor are	
	AK	necessary for events that follow DNA binding," Proc. Natl. Acad. Sci. USA 89:11750-11754 (1992).	
	AL	Ashley et al., "Trinucleotide repeat expansion and human disease," Annu. Rev. Genet. 29:703-728 (1995).	
	<b>—</b>	Baim et al., "A chimeric mammalian transactivator based on the lac repressor that is	
	AM	regulated by temperature and isopropyl β-D-thiogalactopyranoside," <u>Proc. Natl. Acad.</u> Sci. 88:5072-5076 (1991).	
		Baniahmad et al., "The T4 activation domain of the thyroid hormone receptor is required	
	AN	for release of a putative corepressor(s) necessary for transcriptional silencing," Mol. Cell. Biol. 15:76-86 (1995).	
	AO	Barzel, "Estrogens in the Prevention and Treatment of Postmenopausal Osteoporosis: A review," American Journal of Medicine 85:847-850 (1988).	
	AP	Beato, "Gene Regulation by Steroid Hormones," Cell 56:335-344 (1989)	
	AQ	Beato, "Transcriptional control by nuclear receptors," FASEB J. 5:2044-2051 (1991)	
		Beekman et al., "Transcriptional Activation by the Estrogen Receptor Requires a	
1 /	AR	Conformational Change in the Ligand Binding Domain," Molecular Endocrinology 7:1266-	
	1274 (1993)		
		Braselmann et al., "A selective transcriptional induction system for mammalian cells	
<b>,</b>	AS	based on Gal4-estrogen receptor fusion proteins," Proc. Natl. Acad. Sci. USA 90:1657-	
4	<u> </u>	1661 (1993),	

	 $\overline{}$	- 1	
EXAMINER:		layer	

DATE CONSIDERED:

EXAM!NER: Initial if reference is considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include a copy of this form with next communication to applicant.

7

FORM PTO-1449

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSING STATEMENT

(Use several sheets if necessary)

ATTY. DOCKET NO. 226/286 SERIAL NO. 08/959,013

APPLICANT:
Bert O'Malley et al.

FILING DATE: GROUP: 1608 1608

several sheets it necessary)	FILING DATE:
	October 28, 199

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
RCH	AT	Burke et al., "Huntingtin and DRPLA proteins selectively interact with the enzyme GAPDH," Nature Medicine 2:347-350 (1996).			
1	AU	Cato et al., "Steroids and Growth Promoting Factors in the Regulation of Expression of Genes and Gene Networks," J. Steroid Biochem. Molec. Biol. 43:63-68 (1992).			
	AV	Celada et al., "Repression of Major Histocompatibility Complex IA Expression by Glucorticoids: The Glucocorticoid Receptor Inhibits the DNA Binding of the X Box DNA Binding Protein," J. Exp. Med. 1.77:691-698 (1993).			
	AW	Chen et al., "A transcriptional co-repressor that interacts with nuclear hormone receptors." Nature 377:454-457 (1995).			
	AX	Chu et al., "Efficiency of Cytoplasmic Delivery by pH-Sensitive Liposomes to Cells in Culture," Pharmaceutical Research 7:824-834 (1990)			
	AY	Dahlman-Wright et al., "Interaction of the Glucocorticoid Receptor DNA-binding Domain with DNA as a Dimer Is Mediated by a Short Segment of Five Amino Acids," <u>J. Biol. Chem.</u> 266:3107-3112 (1991).			
	ΑZ	Daneshgari et al., "Endocrine Therapy of Advanced Carcinoma of the Prostate," Cancer 71:1089-1097 (1993).			
	ВА	Denis et al., "Requirement of hormone for thermal conversion of the glucocorticoid receptor to a DNA-binding state," Nature 333:686-688 (1988).			
	BB	Denis et al., "The Molybdate-stabilized Nonactivated Glucocorticoid Receptor Contains a Dimer of M <sub>r</sub> 90,000 Non-hormone-binding Protein," <u>J. Biol. Chem.</u> 262:11803-11806 (1987).			
	ВС	Deuschle et al., "Tetracycline-reversible silencing of eukaryotic promoters," Mol. Cell. Biol. 15:1907-1914 (1995),			
	BD	Diamond et al., "Transcriptional Factor Interactions: Selectors of Positive or Negative Regulation from a Single DNA Element," Science 249:1266-1272 (1990),			
	BE	Dobson et al., "Mutational Analysis of the Chicken Progesterone Receptor," <u>J. Biol.</u> Chem. 264:4207-4211 (1989),			
	BF	Dreicer and Wilding, "Steroid Hormone Agonists and Antagonists in the Treatment of Cancer," Cancer Investigation 10:27-41 (1992)			
BG for Hormone-De		Drouin et al., "Glucocorticoid Receptor Binding to a Specific DNA Sequence is Required for Hormone-Dependent Repression of Pro-Opiomelanocortin Gene Transcription," Molecular and Cellular Biology 9:5305-5314 (1989)			
	вн	Evans, "The Steriod and Thyroid Hormone Receptor Superfamily," <u>Science</u> 240:889-895 (1988)			
	ВІ	Figge et al., "Stringent regulation of stably integrated chloramphenicol acetyl transferase genes by E. coli lac repressor in monkey cells," Cell 52:713-722 (1988).			
	BJ	Friedman et al., "KAP-1, a novel corepressor for the highly conserved KRAB repression domain," Gene and Dev. 10:2067-2078 (1996),			
	ВК	Fuller et al., "The steroid receptor superfamily: mechanisms of diversity," <u>FASEB J.</u> 5:3092-3099 (1991)			
	BL	Gauthier et al., "Functional interference between the Spi-1/Pu.1 oncoprotein and steroid hormone or vitamin receptors," EMBO J. 12:5089-5096 (1993)			
	вм	Gerber et al., "Transcriptional activation modulated by homopolymeric glutamine and proline stretches," Science 263:808-811 (1994)			
	BN	Goodrich et al., "Drosophila TAF <sub>II</sub> 40 interacts with both a VP16 activation domain and the basal transcription factor TFIIB," Cell 75:519-530 (1993)			
V	во	Goodrich et al., "TBP-TAF complexes: selectivity factors for eukaryotic transcription," Curr. Opin. in Cell Biol. 6:403-409 (1994).			

	•
EXAMINER: Vayer	DATE CONSIDERED:
~	



(Use several sheets if necessary)


ATTY. DOCKET NO. 226/286 SERIAL NO. 08/959,013

APPLICANT: Bert O'Malley et al.

FILING DATE: October 28, 1997 GROUP:1647 1600

JIHEK D	OCUM	ENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
RH	BP	Gossen et al., "Tight control of gene expression in mammalian cells by tetracycline-responsive promoters," Proc. Natl. Acad. Sci. 89:5547-5551 (1992).
1.0		responsive promoters, <u>Proc. Nati. Acad. Sci.</u> 09:3341-3331 (1992).
	BQ	Gossen et al., "Transcriptional activation by tetracyclines in mammalian cells," <u>Science</u> 268:1766-1769 (1995).
		Greene et al., "Establishment of a noradrenergic clonal line of rat adrenal
	BR	pheochromocytoma cells which respond to nerve growth factor," Proc. Natl. Acad. Sci. 73:2424-2428 (1976)
		Haensler and Szoka, "Synthesis and Characterization of a Trigalactosylated Bisacridine
1	BS	Compound to Target DNA to Hepatocytes," <u>Bioconjugate Chem.</u> 4:85-93 (1993).
	ВТ	Heck et al., "A distinct modulating domain in glucocorticoid receptor monomers in the repression of activity of the transcription factor AP-1," EMBO J. 13:4087-4095 (1994).
		Hollenberg and Evans, "Multiple and Cooperative <i>Trans</i> -Activation Domains of the
	BU	Human Glucocorticoid Receptor," <u>Cell</u> 55:899-906 (1988).
	BV	Horlein et al., "Ligand-independent repression by the thyroid hormone receptor mediated
		by a nuclear receptor co-repressor," Nature 377:397-403 (1995).
	BW	Howard and Distelhorst, "Evidence for Intracellular Association of the Glucocorticoid
		Receptor with the 90-kDa Heat Shock Protein," J. Biol. Chem. 263:3474-3481 (1988).
	вх	Ito et al., "Transformation of intact yeast cells treated with Alkali cations," J. Bacteriol. 153:163-168 (1983).
		Jonat et al., "Antitumor Promotion and Antiinflammation: Down-Modulation of AP-1
	BY	(Fos/Jun) Activity by Glucocorticoid Hormone," Cell 62:1189-1204 (1990)
		Kamei et al., "A CBP integrator complex mediates transcriptional activation and AP-1
	ΒZ	inhibition by nuclear receptors," <u>Cell</u> 85:403-414 (1996).
		Kawai and Nishizawa et al., "New Procedure for DNA Transfection with Polycation and
	CA	Dimethyl Sulfoxide," Molecular and Cellular Biology 4:1172-1174 (1984),
		Kellendonk et al., "Regulation of Cre recombinase activity by the synthetic steroid RU
1 1	СВ	486," Nucleic Acids Research 24(8):1404-1411 (1996)
		Kerppola et al., "Fos is a Preferential Target of Glucocorticoid Receptor Inhibition of AP-
	CC	Activity In Vitro," Molecular and Cellular Biology 13:3782-3791 (1993)
		Kuhl et al., "Trinucleotide repeats and genome variation," Curr. Opin. in Genet. Dev.
1.1	CD	3:404-407 (1993).
		Kutoh et al., "Functional Inteference between the Ubiquitous and Constitutive Octamer
1 1		Transcription Factor 1 (OTF-1) and the Glucocorticoid Receptor by Direct Protein-Proteir
	CE	Interaction Involving the Homeo Subdomain of OTF-1," Molecular and Cellular Biology
1		12:4960-4969 (1992).
		Lanz and Rusconi, "A Conserved Carboxy-Terminal Subdomain Is Important for Ligand
	CF	Interpretation and Transactivation by Nuclear Receptors," Endocrinology 135:2183-2195
	٠.	(1994),
-		Lanz et al., "Active, interactive, and inactive steroid receptor mutants," Steroids 59:148-
1 1	CG	152 (1994).
	CH	Lebeau et al., "P59, an hsp 90-binding Protein," J. Biol. Chem. 267:4281-4284 (1992)
		Lee et al., "Glucocorticoids regulate expression of dihydrofolate reductase cDNA in
	CI	mouse mammary tumour virus chimaeric plasmids," Nature 294:228-232 (1981).
		Legendre and Szoka, "Cyclic Amphipathic Peptide-DNA Complexes Mediate High-
] [	CJ	efficiency Transfection of Adherent Mammalian Cells," Proc. Natl. Acad. Sci. USA
	- <del>-</del>	90:893-897 (1993),
$\neg$		Legendre and Szoka, "Delivery of Plasmid DNA into Mammalian Cell Lines Using pH-
· [ ]	CK	Sensitive Liposomes: Comparison with Cationic Liposomes," Pharmaceutical Research

EXAMINER: ( ) Causes	DATE CONSIDERED:
67	



ATTY. DOCKET NO. 226/286	<b>SERIAL NO.</b> 08/959,013	
APPLICANT: Bert O'Malley et al.		
FILING DATE: October 28, 1997	GROUP: 1647	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)				
COL CL			Lerner et al., "Isolation of subtilisin of pro-sequence mutations that affect formation of	
		CL	active protease by localized random polymerase chain reaction mutagenesis," <u>J. Biol.</u> Chem. 265:20085-20086 (1990)	
1			Liu et al., "Hormone-Independent Repression of AP-1-Inducible Collagenase Promoter	
		СМ	Activity by Glucocorticoid Receptors," Molecular and Cellular Biology 15:1005-1013	
	-		(1995) Lucibello et al., "Mutual transrepression of Fos and the glucocorticoid receptor:	
		CN	involvement of a functional domain in Fos which is absent in FosB," <u>EMBO J.</u> 9:2827-	
			2834 (1990)	
	1	со	Mak et al., "Expression of Functional Chicken Oviduct Progesterone Receptors in Yeast (Saccharomyces cerevisiae)," J. Biol. Chem. 264:21613-21618 (1989)	
	$\dagger \dagger$		Malchoff et al., "A mutation of the glucocorticoid receptor in primary cortisol resistance,"	
	Ш	CP	J. Clin. Invest. 91:1918-1925 (1993)	
		cq	Margolin et al., "Kruppel-associated boxes are potent transcriptional repression domains," Proc. Natl. Acad. Sci. 91:4509-4513 (1994)	
		CR	Mayo et al., "The mouse metallothionein-I gene is transcriptionally regulated by cadmium	
	$\vdash \vdash$		following transfection into human or mouse cells," <u>Cell</u> 29:99-108 (1982), McDonnell et al., "Reconstitution of the Vitamin D-Responsive Osteocalcin Transcription	
		cs	Unit in Saccharomyces cerevisiae," Molecular and Cellular Biology 9:3517-3523 (1989)	
	_		McKnight, "Transcription revisited: A commentary on the 1995 Cold Spring Harbor	
		СТ	Laboratory Meeting, 'Mechanisms of eukaryotic transcription,'" Genes Dev. 10:367-381 (1996).	
			Mendel et al., "Molybdate-stabilized Nonactivated Glucocorticoid-Receptor Complexes	
		CU	Contain a 90-kDa Non-steroid-binding Phosphoprotein That is Lost on Activation," <u>J. Biol.</u>	
	-		<u>Chem.</u> 261:3758-3763 (1986).  Miller, "Assay of β-Galactosidase," <u>Experiments in Molecular Genetics</u> , Cold Spring	
		CV	Harbor Laboratories, pp. 352-355 (1972) .	
		cw	Miner et al., "Joints in the Regulatory Lattice: Composite Regulation by Steroid	
	-		Receptor-AP1 Complexes," Cell Growth & Differentiation 2:525-530 (1991).  Misrahi et al., "Complete amino acid sequence of the human progesterone receptor	
		CX	deduced from cloned cDNA," <u>Biochem. Bioph. Res. Comm.</u> 143:740-748 (1987).	
			Mordacq and Linzer, "Co-localization of elements required for phorbol ester stimulation	
		CY	and glucocorticoid repression of proliferin gene expression," Genes & Development 3:760-769 (1989).	
	$\dashv$		No et al., "Ecdysone-inducible gene expression in mammalian cells and transgenic mice,"	
		ÇZ	Proc. Natl. Acad. Sci. USA 93:3346-3351 (1996)	
		DA	O'Malley and Tsai, "Molecular Pathways of Steroid Receptor Action," <u>Biology of Reproduction</u> 46:163-167 (1992),	
		DB	Onate et al., "Sequence and characterization of a coactivator for the steorid hormone	
		00	receptor superfamily," Science 270:1354-1357 (1995).	
		DC	Oro et al., "Transcriptional Inhibition by a Glucocorticoid ReceptorGal a ctosidase Fusion Protein," Cell 55:1109-1114 (1988),	
		DD	Palmiter and Brinster, "Germ-line Transformation of Mice," <u>Ann. Rev. Genet.</u> 20:465-499 (1986),	
		DE	Pfahl, "Nuclear Receptor/AP-1 Interaction," Endocrine Reviews 14:651-658 (1993)	
		DE	Picard et al., "Signal transduction by steroid hormones: nuclear localization is differentially regulated in estrogen and glucocorticoid receptors," Cell Regulation 1:291-	
1	/.	DF	299 (1990),	

		<i>'</i>	
EXAMINER:	( ) Yay	jer	DATE CONSIDERED: 10/23/0 €

FORM PTO-1449

JUL 0 6 2000

LIST OF PATENTS AND OTHER ITEMS FOR APPLICANT'S INFORMATION DISCLOSE RE STATEMENT

(Use several sheets if necessary)

ATTY. DOCKET NO. 226/286 SERIAL NO. 08/959,013

APPLICANT: Bert O'Malley et al.

necessary) FILING DATE:

FILING DATE:	1600 /647
October 28, 1997	1600 (61)

OTHER	R DOCUM	IENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
		Pratt et al., "The hsp56 Immunophilin Component of Steroid Receptor Heterocomplexes:			
BOH	√ DG	Could This be the Elusive Nuclear Localization Signal-Binding Protein?" J. Steroid			
	``	Biochem. Molec. Biol. 3:269-279 (1993)			
		Pugh, "Mechanisms of transcription complex assembly," Curr. Opin. in Cell Biol. 8:303-			
	DH	311(1996)			
<del></del>		Rao and Slotman, "Endocrine Factors in Common Epithelial Ovarian Cancer," Endocrine			
] {	DI				
<b></b>		Reviews 12:14-26 (1991)			
		Ray and Prefontaine, "Physical association and functional antagonism between the p65			
	DJ	subunit of transcription factor NF- <sub>k</sub> B and the glucocorticoid receptor," <u>Proc. Natl. Acad.</u>			
		Sci. USA 91:752-756 (1994)			
	DK	Rexin et al., "Structure of the Glucocorticoid Receptor in Intact Cells in the Absence of			
		Hormone," <u>J. Biol. Chem.</u> 267:9619-9621 (1992)			
	DL	Ross et al., "Genes with triplet repeats: Candidate mediators of neuropsychiatric			
1 1		disorders," Trends in Neurosci 16:254-260 (1993)			
		Sanchez et al., "Evidence that the 90-kDa Phosphoprotein Associated with the			
	DM	Untransformed L-cell Glucocorticoid Receptor is a Murine Heat Shock Protein," J. Biol.			
		<u>Chem.</u> 260:12398-12401 (1985).			
		Sanchez et al., "Hormone-free Mouse Glucocorticoid Receptors Overexpressed in			
	DN	Chinese Hamster Ovary Cells Are Localized to the Nucleus and Are Associated with			
1 . 1	5.1	Bolth hsp70 and hsp90," <u>J. Biol. Chem.</u> 265:20123-20130 (1990) •			
<del>   -</del>		Sanchez et al., "Relationship of the 90-kDa Murine Heat Shock Protein to the			
	DO	Untransformed and Transformed States of the L Cell Glucocorticoid Receptor," J. Biol.			
	100				
$\vdash$		Chem. 262:6986-6991 (1987).			
	DP	Schule and Evans, "Cross-coupling of signal transduction pathways: zinc finger meets			
		leucine zipper," Trends in Genetics 7:377-381 (1991).			
	DQ	Schule et al., "Functional Antagonism between Oncoprotein c-Jun and the Glucocorticoid			
		Receptor," <u>Cell</u> 62:1217-1226 (1990),			
	DR	Seed and Sheen, "A simple phase-extraction assay for chloramphenicol acyltransferase			
		activity," <u>Gene</u> 67:271-277 (1988),			
		Seipel et al., "C-terminal domain (CTD) of RNA-polymerase II and N-terminal segment of			
	DS	the human TATA binding protein (TBP) can mediate remote and proximal transcriptional			
		activation, respectively," Nucl. Acid Res. 21:5609-5615 (1993)			
	DT	Servadio et al., "Expression analysis of the ataxin-1 protein in tissues from normal and			
	וטן	spinocerebellar ataxia type 1 individuals," Nature Genet. 10:94-98 (1995)			
	511	Smith and Toft, "Steroid Receptors and Their Associated Proteins," Molecular			
	DU	Endocrinology 7:4-11 (1993).			
		Stromstedt et al., "The Glucocorticoid Receptor Binds to a Sequence Overlapping the			
1 /	DV	TATA Box of the Human Osteocalcin Promoter: a Potential Mechanism for Negative			
		Regulation," Molecular and Cellular Biology 11:3379-3383 (1991).			
<del></del>		Sunderland and Osborne, "Tamoxifen in Premenopausal Patients with Metastatic Breast			
	DW	Cancer: A Review," J. Clinical Oncology 9:1283-1297 (1991)			
$\vdash$	+	Touray et al., "Characterisation of functional inhibition of the glucocorticoid receptor by			
	DX	Fos/Jun," Oncogene 6:1227-1234 (1991),			
<del>                                     </del>		Trottier et al., "Cellular localization of the Huntington's disease protein and discrimination			
	DY	of the normal mutated form," Nature Genet. 10:104-110 (1995)			
<del></del>	-				
] [	DZ	Tsai and O'Malley, "Molecular Mechanisms of Action of Steroid/Thyroid Receptor			
$\vdash$	<del>    - :</del>	Superfamily Members," Ann. Rev. Biochem. 63:451-486 (1994)			
1.1	EA	Tsai et al., "Cooperative Binding of Steroid Hormone Receptors Contributes to			
V		Transcriptional Synergism at Target Enhancer Elements," Cell 57:443-448 (1989)			

EXAMINER: DATE CONSIDERED: 10/23/00

FORM PTO-1449

JUL 0 6 2000

LIST OF PATENTS AND THER ITEM FOR APPLICANT'S
INFORMATION DISCHARGE STATEMENT

(Use several sheets if necessary)

ATTY. DOCKET NO. 226/286

**SERIAL NO.** 08/959,013

APPLICANT:

Bert O'Malley et al.

FILING DATE: October 28, 1997 GROUP; 647 1600

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)			
RCH	Tsai et al., "Molecular Interactions of Steroid Hormone Receptor with its Enhancer Element: Evidence for Receptor Dimer Formation," Cell 55:361-369 (1988)		
	EC	Tverberg and Russo, "Cell-specific Glucocorticoid Repression of Calcitonin/Calcitonin Gene-related Peptide Transcription," J. Biol. Chem. 267:17567-17573 (1992)	
	ED	Umesono and Evans, "Determinants of Target Gene Specificity for Steroid/Thyroid Hormone Receptors," Cell 57:1139-1146 (1989)	
	EE	Vegeto et al., "The Mechanism of RU486 Antagonism Is Dependent on the Conformation of the Carboxy-Terminal Tail of the Human Progesterone Receptor," Cell 69:703-713 (1992).	
	EF	Veldscholte et al., "Anti-androgens and the mutated androgen receptor of LNCap cells: Differential effects on binding affinity, heat-shock protein interaction, and transcription activation," Biochemistry 31:2393-2399 (1992).	
	EG	Wang et al., "A regulatory system for use in gene transfer," Proc. Natl. Acad. Sci. USA 91:8180-81814 (1994),	
	EH	Ward, "Single-step purification of shuttle vectors from yeast for high frequency back-transformation into <i>E. coli</i> ," <u>Nucleic Acids Research</u> 18:5319 (1990)	
	El .	Webster et al., "The Hormone-Binding Domains of the Estrogen and Glucocorticoid Receptors Containing an Inducible Transcription Activation Function," Cell 54:199-207 (1988)	
	EJ	Wegner et al., "POU-domain proteins: Structure and function of developmental regulators," Curr. Opin. in Cell Biol. 5:488-498 (1993),	
	EK	Witzgall et al., "Kid-1, a putative renal transcription factor: Regulation during ontogeny and in response to ischemia and toxic injury," Mol. Cell. Biol. 13:1933-1942 (1993).	
	EL	Witzgall et al., "The Kruppel-associated box-A (KRAB-A) domain of zinc finger proteins mediates transcriptional repression," <a href="Proc. Natl. Acad. Sci.">Proc. Natl. Acad. Sci.</a> 91:4514–4518 (1994)	
	ЕМ	Wurtz et al., "A canonical structure for the ligand-binding domain of nuclear receptors,"  Nature Structural Biology 3(1):87-94 (1996),	
	EN	Yang-Yen et al., "Transcriptional Interference between c-Jun and the Glucocorticoid Receptor: Mutual Inhibition of DNA Binding Due to Direct Protein-Protein Interaction," Cell 62:1205-1215 (1990).	
	EO	Yazawa et al., "Abnormal gene product identified in hereditary dentatorubral-pallidoluysian atrophy (DRPLA) brain," Nature Genet. 10:99-103 (1995).	
	EP	Yem et al., "The Hsp56 Component of Steroid Receptor Complexes Binds to Immobilized FK506 and Shows Homology to FKBP-12 and FKBP-13," <u>J. Biol. Chem.</u> 267:2868-2871 (1992).	

EXAMINER:	( r	Hayes	DATE CONSIDERED:
	,	1	- •